

Seos® Bamboo Card

How to Order Guide

PLT-07048, Rev A.0
April 2023

Copyright

© 2023 HID Global Corporation/ASSA ABLOY AB. All rights reserved.

This document may not be reproduced, disseminated or republished in any form without the prior written permission of HID Global Corporation.

Trademarks

HID GLOBAL, HID, the HID Brick logo, iCLASS SE, Secure Identity Object, Seos, and SIO, are the trademarks or registered trademarks of HID Global, ASSA ABLOY AB, or its affiliate(s) in the US and other countries and may not be used without permission. All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners.

Contacts

For technical support, please visit: <https://support.hidglobal.com>.

What's new

Date	Description	Revision
April 2023	Initial release.	A.0

A complete list of revisions is available in [Revision history](#).

Seos Bamboo Card - 574

Slot punched contactless smart card manufactured from sustainable FSC certified natural bamboo.
Ensure each required option has been checked with the appropriate choice to fulfill a completed order form.

Base Model ☒ **574**

Memory Size

☒ **6** - 8K Bytes

Secure Identity Object™ Programming (Select one option)

- ☐ **P** - Programmed with Secure Identity Object (SIO™)
☐ **V** - Unprogrammed, for use with iCLASS® SE™ Encoder

Front Packaging

☒ **G** - Bamboo¹ with Seos logo

Back Packaging


☒ **G** - Bamboo^{1,2}

Card Numbering²

☒ **N** - No external ID number

Slot Punch

☒ **V** - Vertical Slot Punch



Enter your final card options from the check boxes above. Example: 5746PGGNV

Final Part Number	574	6		G	G	N	V
-------------------	-----	---	--	---	---	---	---

Seos Programming Information

Format Number	Field Name(s) e.g. Facility Code	Value	QTY	Encoded Start Number	Encoded Stop Number
HID Elite ICE				Printed Start Number	Printed Stop Number

¹ Bamboo is a natural material; variations in color and texture are expected.

² External laser marking option is expected to be available late Q2 of 2023.

Available with 7 byte static UID for ISO14443A UID migration and interoperability. This feature reduces privacy and is not recommended. Contact your local sales or pre-sales representative for more information.



Revision history

Date	Description	Revision
April 2023	Initial release.	A.0



hidglobal.com

Americas and Corporate: +1 866 607 7339
Europe, Middle East, Africa: +44 (0) 1440 711 822
Asia Pacific: +852 3160 9833
Latin America: +55 11 5514-7100

[For more global phone numbers click here](#)

© 2023 HID Global Corporation/ASSA ABLOY AB.
All rights reserved.
PLT-07048, Rev. A.0

Part of ASSA ABLOY